

APPENDIX

1. A shingle remover, comprising:
a pliers having an upper jaw opposing a lower jaw, said upper jaw coupled to a first handle, said lower jaw coupled to a second handle, said first handle pivotally coupled to said second handle;
an upper plate coupled to said upper jaw;
a lower plate coupled to said lower jaw, wherein said upper plate is pivotally coupled to said upper jaw or said lower plate is pivotally coupled to said lower jaw; and
an anvil coupled to said pliers.
2. The shingle remover of claim 1, wherein the anvil is coupled to at least one of said plates.
3. The shingle remover of claim 1, further comprising:
an elongated rod that couples said anvil to said pliers;
a sliding hammer movably mounted on said elongated rod.
4. The shingle remover of claim 1, wherein said upper jaw is pivotally coupled to said first handle.
5. The shingle remover of claim 1, wherein said lower jaw is pivotally coupled to said second handle.
6. The shingle remover of claim 1, wherein said pliers is a Vise-Grip®.
-

15. A system for removing a shingle from a substrate, including:
means for gripping a shingle; and
means for applying a force to said means for gripping the shingle sufficient to pull the shingle from the substrate, said means including a striking surface proximate to said means for gripping the shingle.

a² 16. The system of claim 15, wherein the shingle is fastened to the substrate with a fastener, and further including means for removing the fastener after the shingle is pulled from the substrate.

a³ 17. An apparatus, including:
a pliers having an upper jaw and an opposing lower jaw, said upper jaw coupled to a first handle, said lower jaw coupled to a second handle, said first handle pivotally coupled to said second handle;
an upper plate coupled to said upper jaw;
a lower plate coupled to said lower jaw;
an anvil coupled to said apparatus, said anvil including a striking surface that is proximate to said plates.

18. The apparatus of claim 17, wherein said upper jaw is pivotally coupled to said first handle.

19. The apparatus of claim 17, wherein said lower jaw is pivotally coupled to said second handle.

20. The apparatus of claim 17, wherein said pliers is a Vise-Grip®.

21. The apparatus of claim 17, wherein said upper plate is pivotally coupled to said upper jaw.

22. The apparatus of claim 17, wherein said lower plate is pivotally coupled to said lower jaw.

23. The apparatus of claim 17, wherein said anvil is fixed to said upper jaw or said lower jaw.

24. The apparatus of claim 17, wherein said anvil is fixed to said upper plate or said lower plate.
-